


玩格

IMPACT ABSORBING
PLAYGROUND TILES

遊樂場衝擊防護地蓆





PLAYSQUARE™ is a premium rubber flooring product created by Kenco Group Limited, a Hong Kong company. The goal is to provide a healthy and safe play environment for children. The products are certified by international safety standards such as EN-1177 and BS-7188. Made with environmental-friendly recycled rubber, PLAYSTRIPE™ is especially suitable for schools, kindergartens, playgrounds and parks.




玩格 PLAYSTRIPE™是由香港人創造的優質橡膠地材產品。目標是為小朋友提供一個健康及安全的玩樂環境。產品得到EN-1177 及 BS-7188等國際安全認證。玩格 PLAYSTRIPE™由環保回收橡膠製成，特別適合於學校、幼稚園、遊樂場、公園等地方使用。



BS7188 Full Test

- ✓ Critical Fall Height
- ✓ Resistance to Abrasive Wear
- ✓ Slip Resistance
- ✓ Ease of Ignition
- ✓ Resistance to Indentation
- ✓ Tensile Properties
- ✓ Weight per Unit Area



Impact Absorbing Playground Tiles


PLAYSQUARE™ rubber tiles have a critical fall height measured by Head Injury Criterion (HIC). This feature can reduce the chance of serious injury when fall from the playground equipment.

玩格™ 橡膠地蓆擁有足夠的臨界高度。這可以減低小朋友從遊樂設施墜下時嚴重受傷的機會。

CRITICAL FALL HEIGHT



30mm	0.8m
40mm	1.0m
50mm	1.3m
70mm	1.9m
80mm	2.1m
110mm	2.3m

EN1177:2018 standard



Product Information

產品資料



SBR RUBBER TILES (SBR 橡膠地蓆)

Description 描述	PLAYSQUARE™ SBR Rubber Tiles 玩格™ SBR 橡膠地蓆
Materials 物料	Recycled SBR Rubber Materials & PU Binder 環保橡膠顆粒混合 PU 粘合劑
Dimension 尺寸(mm):	500 x 500
Thickness 厚度 (mm):	30, 40, 50, 70, 80, 110
Layer 層次:	One Layer 一層
Color 顏色:	Red, Green, Blue, Yellow 紅、綠、藍、黃
Installation 安裝方法:	Interlocking Installation Without Adhesive 鎖扣式安裝，免用膠水



With 19 standard colours range selections, designers have plenty of room to create fun, stimulating and UV resistant playground surfaces. The technical properties of PLAYSQUARE™ rubber tiles include wear and weather resistance.

EPDM 系列包含 19 種顏色選擇，為設計師提供足夠創作空間，創造出有趣、刺激及安全的遊樂場。玩格™橡膠地蓆的技術特性包括耐磨、耐候性及抗紫外線。



EPDM RUBBER TILES (EPDM 橡膠地蓆)

Description 描述	PLAYSQUARE™ EPDM Rubber Tiles 玩格™ EPDM 橡膠地蓆
Base Layer Materials 底層物料	Recycled SBR Rubber Materials & PU Binder 環保橡膠顆粒混合 PU 粘合劑
Surface Materials 底層物料	EPDM Rubber Materials & PU Binder 環保橡膠顆粒混合 PU 粘合劑
Dimension 尺寸(mm):	500 x 500
Thickness 厚度 (mm):	30, 40, 50, 70, 80, 110
Layer 層次:	Two Layer 兩層
Installation 安裝方法:	Interlocking Installation Without Adhesive 鎖扣式安裝，免用膠水

Color 顏色

